

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**This Page Blank (uspto)**



The  
Patent  
Office

#109433135

INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport

RECEIVED  
South Wales  
MAR 20 2000

Group 2700

GROUP 2700

MAR 02 2000

RECEIVED

## CERTIFIED COPY OF PRIORITY DOCUMENT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.


Signed

Dated

11.11.99

RECEIVED  
MAR 10 2000  
TECHNICAL ROOM

Page Blank (uspto)



12NOV98 E404133-3 D02073  
P01/7700 0.00 - 9824762.0

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

1. Your reference

8243

2. Patent application number

(The Patent Office will fill in this part)

9824762.0

11 NOV 1998

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NCR INTERNATIONAL, INC.  
1700 SOUTH PATTERSON BOULEVARD  
DAYTON, OHIO 45479  
UNITED STATES OF AMERICA

Patents ADP number (if you know it)

7409352001

If the applicant is a corporate body, give the country/state of its incorporation

INCORPORATED IN THE STATE OF DELAWARE

4. Title of the invention

SELF-SERVICE TERMINAL

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

VIVIEN IRISH

INTERNATIONAL IP DEPARTMENT  
NCR LIMITED  
206 MARYLEBONE ROAD  
LONDON NW1 6LY

Patents ADP number (if you know it)

1982003

RECEIVED  
FEB 19 2003  
TC 2100 MAIL ROOM

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	10
Claim(s)	2
Abstract	1
Drawing(s)	2

*Handwritten signature*

*Handwritten number 2*

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents (*please specify*)

11. I/We request the grant of a patent on the basis of this application.

Signature *Vivien Irish* Date 11/11/98

12. Name and daytime telephone number of person to contact in the United Kingdom VIVIEN IRISH TEL: 0171-725 8390

**Warning**

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

**Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

SELF-SERVICE TERMINAL

This invention relates to a self-service terminal (SST), such as an automated teller machine (ATM). In particular, the present invention relates to an SST which facilitates communication with a user.

5 A conventional self-service terminal (SST), such as an automated teller machine (ATM), comprises a user keypad for, among other things, selecting menu options, inputting personal identification number (PINs) and the like, and a screen for displaying information to be read by the user, such as instructions and prompts. SSTs used to carry-out security sensitive operations, such as an ATM utilised in the withdrawal of funds from a bank account, may also incorporate means for assisting in identifying a user, or verifying the identity of a user, such as a card reader, accessed via a card reader slot.

15 While such conventional machines may be used without difficulty by many people, there is a significant proportion of the population who will experience difficulties interacting with such machines. In particular, user instructions and prompts are displayed on a relatively small CRT or LCD display, and thus persons with reading difficulties or any visual impairment may find it difficult if not impossible to operate a machine. For example, a person who is "long-sighted", and who does not have vision-correcting eyeglasses in their possession, may

have difficulty reading instructions and prompts from such a display.

It is among the objectives of embodiments of the present invention to obviate or mitigate this disadvantage.

5 According to the present invention there is provided a self-service terminal (SST) comprising:

instructing means for producing audible terminal operating instructions for the user;

10 interface means for permitting the user to interact with the terminal in response to said instructions; and

means for processing user interactions with the terminal.

15 According to another aspect of the present invention there is provided a method of operating a self-service terminal (SST), the method comprising:

producing audible device operating instructions for a terminal user;

permitting the user to interact with the terminal in response to said instructions; and

20 processing user interactions with the terminal.

25 As used herein, the term "device operating instructions" is intended to encompass terminal outputs such as prompts and information relating to a transaction or operation to be carried out on the SST, and also information or other matter not directly relevant to a current transaction or operation, such as information on other services provided by the device operator, for example information on services provided by a financial



institution, or an invitation to arrange a meeting with an advisor.

In a preferred embodiment the present invention permits a self-service terminal to communicate with a user through natural speech or other sounds, and thus obviates the difficulties associated with the user having to read device operating instructions or prompts from a small screen or other display.

Preferably, the terminal further comprises means for recognising natural speech, such that the user may interact with the terminal using spoken instructions and prompts. This permits the user and terminal to converse: the terminal will issue instructions in natural speech; the user will provide a spoken response; and the terminal will process and react to the user response. The instructions issued may be tailored to provoke a number of predetermined responses, for example "yes" or "no", and the processing means may be tailored to expect and respond appropriately to a selected one of the anticipated responses.

Preferably also, the instructing means is capable of producing a selected one of a plurality of voices during a transaction or operation, for example a female voice and a male voice. The voice produced by the terminal may be pre-selected by the user, or be pre-selected depending on the age or sex of the user, for example the terminal may issue instructions with a young person's voice when it has been ascertained that a young person is using the machine. In addition, the instructing means may be capable of issuing

instructions in a local accent or dialect, and where the terminal includes speech recognition means, such means may be capable of receiving and understanding instructions in a local accent or dialect: for example, in some parts of the United Kingdom, many people will use the word "Aye", rather than "Yes", and numbers, as may make up a personal identification number (PIN) or a sum of funds to be withdrawn from an ATM, are often pronounced differently in different geographical areas.

The terminal may further comprise means for identifying the user or verifying the identity of the user. Such means may include a card reader or a biometric sensor, and the user may also have to verify their identity by inputting a personal identification number (PIN) or code word.

The terminal may further comprise means for sensing that a user wishes to use the terminal, such as a proximity sensor which identifies that a user has approached the terminal, and on sensing the presence of the user the instructing means may issue an initial instruction, prompt or greeting and the user interaction means be prepared to receive one of a number of anticipated user inputs or responses, or to initiate a user identification or identity verification process. In the absence of an appropriate user input within a predetermined time interval, the terminal may return to a "waiting" mode, ready to greet the next user.

These and other aspects of the present invention will

now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a diagrammatic representation of an SST in accordance with one embodiment of the present invention, in the form of an ATM; and

Figure 2 is a block diagram representation of the terminal of Figure 2.

Reference is first made to Figure 1 of the drawings, which illustrates an SST in accordance with one embodiment of the present invention in the form of an ATM 10. In this example, the ATM 10 includes many of the features of a conventional ATM, namely an interface means in the form of a user panel 12 including a card reader slot 14 (which is shown having means for identifying the user in the form of an identification card 15 partially inserted therein), a key pad 16 for entering the user's personal identification number (PIN) and transaction details, a cash dispenser slot 18 through which bank notes are dispensed to a user, a display screen 20 for providing information to the user, additional keys 21 disposed at opposite sides of the screen 20 for enabling the user to select preset functions displayed on the screen 20 and aligned with the additional keys 21, and a receipt printer slot 22 through which a receipt for a transaction may be delivered to a user at the end of a transaction.

In addition, the ATM 10 of the present invention includes a loudspeaker 30 and a microphone 32, which allow the ATM 10 and the user to communicate primarily or solely

using natural speech, as described below.

Reference is now also made to Figure 2 of the drawings, which is a block diagram of the ATM 10 of Figure 1. Figure 2 shows a user interface module block 40 including the loudspeaker 30, a speech generation module 31, the microphone 32 and a speech processing and recognition module 33. The block 40 also includes the other elements found in a conventional ATM user interface, that is a card reader module 42, the key pad 16, the display 20, and a receipt printer module 44. The card reader module 42 and the receipt printer module 44 are associated with the respective slots 14 and 22 of the user panel 12 of the ATM 10. Figure 2 also shows a cash dispenser module 46 which is associated with the cash dispenser slot 18.

The ATM 10 further comprises processor means in the form of a controller unit 50 which communicates with components of the user interface module block 40, with an operator panel 52 mounted inside to ATM 10, and with the cash dispenser module 46.

The operator panel 52 contains circuitry for enabling an authorised operator to interact with the ATM 10. Standard operator panels 52 are used on a commercially available ATMs and are well known in the art. Similarly, the cash dispenser module 46 will not be described herein as it is a standard feature of a conventional ATM.

The controller unit 50 includes a processor unit 54 and a non-volatile memory 56. The processor unit 54 and

memory 56 may be implemented by a micro-computer having non-volatile RAM; suitable computers and memories are readily available commercially.

In use, the user inserts their card 15 into the card reader slot, and identification data encoded on the card (typically in a magnetic strip located on one side of the card) is read by the card reader module 42. By doing this the user is claiming an identity. For using this example of an ATM 10, the user will have previously identified a preference for the manner in which the user communicates with ATMs 10: in the conventional manner via the screen display 20 and the keypad 16 and keys 21; or, where available, by natural speech via the loudspeaker 30 and microphone 32. In the latter case, the user is requested, by appropriate actuation of the speech generation module 31 and loudspeaker 30, to state their identification number (PIN) or a code word to verify the claimed identity, that is to verify that the person in possession of the card 15 is the authorised card owner. The user then speaks into the microphone 32, the speech recognition module 33 processing the speech sounds. If the user's identity is verified by recitation of the correct PIN or code word, the user is permitted to access the facilities provided by the ATM 10 and a menu of the various transactions available to the user is described via the loudspeaker 30: the speech generation module 31 may be controlled to run through a sequence of options and to prompt a particular response if a particular option is to be selected, for example:

ATM: "If you wish to withdraw cash, please say  
"one" into the microphone; or  
if you wish to hear your account balance,  
please say "two"."

5 User: "One".

This "conversation" continues until the transaction has been completed, or is interrupted.

10 It will be apparent to those of skill in the art that the ATM 10 described above may be utilised without difficulty by users with reading difficulties and users who are visually impaired. Further, it is anticipated that many other users would prefer to converse with a terminal, particularly as the voice generation module 31 may be configured to issue instructions in a particular voice,  
15 accent or dialect: for example, the ATM 10 may converse with a user with a woman's voice, with a local accent and in local dialect. Other users may choose other voices, or the voice may be selected by the ATM operator: a user whose account is overdrawn may be advised, in a stern male  
20 voice, to immediately contact the relevant financial institution. Also, the voice may be varied during a transaction, for example one voice may be used to issue instructions and prompts, and another voice used to describe other services not related to the transaction in  
25 progress.

Similarly, the speech recognition module 33 may be

configured to expect instructions and prompts from the user in different voices, accents and dialects.

5 Users may be reluctant to converse with a terminal within earshot of others, particularly where security sensitive information, such as a PIN or code word, is being relayed to the terminal. Accordingly, terminals in accordance with the invention may be enclosed, partially enclosed, or otherwise arranged to minimise the possibility of the conversation between the terminal and the user from  
10 being overheard by third parties. Alternatively, or in addition, the terminal may be provided with sensors for determining the location of the user, and directional loudspeakers and microphones, such that the speech volume may be kept at a relatively low level, and to assist in  
15 eliminating background noise.

To obviate the requirement for the user to state an identification number (PIN) or the like, terminals in accordance with the invention may utilise biometric sensing means for identifying or verifying the identity of the  
20 user. Such biometric sensing means are known and may use one or more of a variety of biometric patterns, including iris patterns, fingerprints, palm prints, voice patterns, finger geometry, or other physical traits or characteristics.

25 The embodiment described above incorporates many of the features of a conventional ATM, however it is of course possible to provide a terminal in accordance with the invention which may omit, for example, the keypad 16,

display screen 20 and keys 21, with a corresponding saving in costs, and providing greater flexibility in the design and configuration of the terminal.

5 In other embodiments, the SST may take a different form from that illustrated and described, for example a kiosk for issuing flight tickets.



CLAIMS

1. A self-service terminal (10) comprising:

instructing means (30, 31) for producing audible terminal operating instructions for the user;

5 interface means (12) for permitting the user to interact with the terminal (10) in response to said instructions; and

means (54) for processing user interactions with the terminal.

10 2. The terminal of claim 1, wherein the instructing means (30, 31) issues device operating instructions in natural speech.

15 3. The terminal of claim 1 or 2, comprising means (32, 33) for recognising speech, such that the user may interact with the terminal using spoken instructions and prompts.

4. The terminal of any of the preceding claims, wherein the instructing means (30, 31) produces a selected one of a plurality of available voices during a transaction or operation.

20 5. The terminal of any of the preceding claims further comprising means for one of identifying the user and verifying the identity of the user.

6. A method of operating a self-service terminal (SST), the method comprising:

producing audible terminal operating instructions for a terminal user;

5 permitting the user to interact with the terminal in response to said instructions; and

processing user interactions with the terminal.

7. The method of claim 6, wherein the audible terminal operating instructions comprise natural speech.

10 8. The method of claim 6 or 7, further comprising permitting the user to input information to the terminal using speech.

9. The method of claim 6, 7 or 8, wherein the instructions issued by the terminal are tailored to provoke  
15 one of a number of predetermined response.

10. The method of any of claims 6 to 9, further comprising producing instructions in a selected one of a plurality of available voices.

SELF-SERVICE TERMINAL

ABSTRACT

5       A self-service terminal, such as an ATM (10), comprises a speech generator (31) and loudspeaker (30) for producing natural language operating instructions for a user, and a user interface (12) permitting the user to interact with the terminal (10) in response to the spoken instructions. The user interface may include a microphone (32) and a speech recognition module (33).

***This Page Blank (uspto)***

1/2





Fig 1

**This Page Blank (uspto)**

2/2



This Page Blank (uspto)